
Improvement of the muon track reconstruction and precision measurement of neutrino oscillation parameters

THESIS ADVISOR: MARCOS DRACOS
IPHC, 23 RUE DU LOESS, BP 28, 67037 STRASBOURG CEDEX 2
PHONE: +33 3 88 10 63 70; E-MAIL: marcos.dracos@in2p3.fr

The Standard Model of Particle Physics is the theory describing the behaviour of the elementary particles that constitute all known matter. While the Standard Model has been extremely successful to describe nature, there is one phenomenon that was not foreseen in this theory: Neutrino Oscillations. Indeed neutrinos, which are elementary particles in the Standard Model, were expected not to have a mass, and without a mass neutrinos cannot oscillate between flavors. However at the turn of the last century neutrinos were discovered to oscillate between flavors, which runs counter to the expectation from the Standard Model and proves that neutrinos have masses. This fundamental discovery awarded the 2015 Nobel prize to the two experiments that demonstrated it using atmospheric and solar neutrinos: Super-Kamiokande and SNO.

Since this discovery, several experiments have studied this phenomenon. However there are still some parameters that haven't been measured yet. One of these unknowns is the neutrino mass ordering, that is which of the neutrinos is the lightest. The determination of this ordering could be essential to understand by which mechanism neutrinos get their mass and also to check expansion models of the Universe.

Answering that question is the main goal of JUNO experiment [1, 2] in preparation in China. JUNO is expected to reach a sensitivity to measure the neutrino mass ordering of more than 3σ after 6 years of data taking using reactor neutrinos. With this data, JUNO will also make it possible to precisely measure several parameters regulating neutrino oscillations, which will allow us to start testing the mixing matrix unitarity. In addition to reactor neutrinos, JUNO will also perform measurements on solar neutrinos, atmospheric neutrinos, supernovae neutrinos, among others.

JUNO is an international collaboration, regrouping 76 institutions all around the world. For the determination of the neutrino mass ordering, the experiment will use neutrinos from many nuclear power plants with a total power of $26.6 \text{ GW}_{\text{th}}$. The detector will be at $\sim 53 \text{ km}$ from the cores of the reactors. The target will be made of a liquid scintillator making it possible for us to detect electron anti-neutrinos emitted by the reactor cores through the inverse beta decay reaction. The scintillation light will be collected by about 18k 20" photomultiplier tubes (PMT) and 25k 3" PMTs. The central detector, composed of the liquid scintillator inside an acrylic sphere, will be surrounded by a water pool (acting as a veto), which will also be equipped with PMTs to make it possible the detection of atmospheric muons via their Cherenkov light to control the cosmogenic background. An additional detector, the Top Tracker, will be installed above the central detector and the water pool to further identify atmospheric muons. The construction of the experimental hall in southern China is now complete, while the installation of the detector is starting. Data taking is expected to start in the end of 2023.

The IPHC group is one of the main responsible groups for the Top Tracker (TT), which is already built and sent to China. A successful Ph.D. student starting in 2023 is expected to take part in the final preparation of the TT for data taking during the end of the installation and commissioning of the detector. The student also will be heavily involved in the beginning of the data taking with JUNO and in the first results produced by the experiment. In particular, the student will be expected to develop a new muon track reconstruction, initially for the TT but in a second stage including information from all other JUNO detectors. Such a reconstruction will be essential for understanding the cosmogenic background in JUNO, which is a critical step for many physics analyses. Improvements in the reconstruction will then be applied to studies aiming the precise measurement of neutrino oscillation parameters using JUNO data.

[1] JUNO website: <http://juno.ihep.cas.cn>

[2] JUNO Collaboration, Prog. Part. Nucl. Phys. **123** (2022), 103927 [arXiv:2104.02565].